

Message

From: Sopkin, Gregory [sopkin.gregory@epa.gov]
Sent: 10/29/2020 5:14:16 PM
To: Thomas, Deb [thomas.debrah@epa.gov]
Subject: RE: Pierre Office: Note left on door

Thanks – let me know if there is anything I can do to help.

From: Thomas, Deb <thomas.debrah@epa.gov>
Sent: Thursday, October 29, 2020 10:18 AM
To: Sopkin, Gregory <sopkin.gregory@epa.gov>
Subject: FW: Pierre Office: Note left on door

FYSA. I had a follow up conversation with Darcy. Deb

From: Buhl, Rick <Buhl.Rick@epa.gov>
Sent: Thursday, October 29, 2020 10:16 AM
To: O'Connor, Darcy <oconnor.darcy@epa.gov>; Thomas, Deb <thomas.debrah@epa.gov>
Cc: Kortuem, Patrice <Kortuem.Patrice@epa.gov>
Subject: RE: Pierre Office: Note left on door

Darcy,

I have been engaging on this issue this morning. Patrice has reached out to Angelique, and we are also following up with notifying the proper authorities.

Thanks

Rick

From: O'Connor, Darcy <oconnor.darcy@epa.gov>
Sent: Thursday, October 29, 2020 9:32 AM
To: Thomas, Deb <thomas.debrah@epa.gov>; Buhl, Rick <Buhl.Rick@epa.gov>
Subject: FW: Pierre Office: Note left on door

FYI

From: Bahrman, Sarah <Bahrman.Sarah@epa.gov>
Sent: Thursday, October 29, 2020 9:03 AM
To: Garcia, Bert <Garcia.Bert@epa.gov>; O'Connor, Darcy <oconnor.darcy@epa.gov>
Subject: FW: Pierre Office: Note left on door

Sarah E. Bahrman | Chief, Safe Drinking Water Branch | U.S. Environmental Protection Agency - Region 8
(p) 303.312.6243 | (c) 303.903.8515 | (f) 877.876.9101

From: Diaz, Angelique <Diaz.Angelique@epa.gov>
Sent: Thursday, October 29, 2020 8:18 AM

To: Shanahan, Mike <Shanahan.Mike@epa.gov>

Cc: Bahrman, Sarah <Bahrman.Sarah@epa.gov>; Griese, Andrea <Griese.Andrea@epa.gov>

Subject: Pierre Office: Note left on door

Mike – for your awareness.

IHS reached out to Andrea to let her know this note was on her office door. This door leads directly into her office. She is primarily working remotely, but does go in on Tuesdays to check the mail. We both agreed that considering it's a public building and an election year, she is going to remove the EPA sign from the door. IHS has already removed the note.

-Angelique

Angelique D. Diaz, Ph.D., P.E. | Section Chief, Drinking Water Section B | U.S. Environmental Protection Agency –
Region 8 | (p) 303.312.6344 | (c) 303.842.9336

From: Angelique Diaz <Diaz.Angelique@epa.gov> Ex. 6 Personal Privacy (PP)

Sent: Thursday, October 29, 2020 8:15 AM

To: Diaz, Angelique <Diaz.Angelique@epa.gov>

Subject: Pierre: Note on door



John A. Smith
Director
Environmental Protection Agency
Washington, D.C.
20460



Admit it, YA'll haven't
done anything to "Protect"
the environment in
4 YEARS.

YA'll ARE the Reason I
CAN'T vote Republican.
For the sake of my kids,
I just can't.

Sent from my iPhone